

45 G.A.P.

.451"	45 TMJ® FN
Weight (grains)	185
Ballistic Coefficient	0.094
Sectional Density	0.130
COAL Tested	1.070"
Speer Part No.	4476

			START CHARGE		MAXIMUM CHARGE	
Propellant	Case	Primer	Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Hodgdon H. Universal	Speer	CCI 500	6.7	1007	7.1	1089
Alliant Bullseye	Speer	CCI 500	5.7	981	6.4	1072
Alliant Power Pistol	Speer	CCI 500	7.9	994	8.5	1061
Alliant Unique	Speer	CCI 500	7.2	1002	7.7	1061
Hodgdon TITEGROUP	Speer	CCI 500	5.3	956	5.9	1041
Accurate No. 5	Speer	CCI 500	8.4	953	9.2	1035
Ramshot True Blue	Speer	CCI 500	7.8	940	8.6	1033
Vihtavuori 3N37	Speer	CCI 500	8.0	919	8.6	1011
Winchester 231	Speer	CCI 500	5.7	912	6.3	1001
Accurate No. 2 Improved	Speer	CCI 500	5.0	882	5.5	946

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load