



**speer**  
bullets

## 300 AAC Blackout

.308"	30 SPFN Hot-Cor®	30 Spitzer BTSP	30 Spitzer SP Hot- Cor®	30 Grand Slam® SP/CANN
<b>Weight (grains)</b>	150	150	150	150
<b>Ballistic Coefficient</b>	0.255	0.417	0.377	0.295
<b>Sectional Density</b>	0.226	0.226	0.226	0.226
<b>COAL Tested</b>	2.190"	2.190"	2.190"	2.190"
<b>Speer Part No.</b>	2011	2022	2023	2026

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Hodgdon Lil'Gun	Lake City	Federal 205	18.2	2013	<b>20.0 C</b>	2157
Alliant Power Pro 300-MP	Lake City	Federal 205	17.1	1866	<b>19.2</b>	2068
Winchester 296	Lake City	Federal 205	16.7	1894	<b>18.4</b>	2049
Ramshot Enforcer	Lake City	Federal 205	15.4	1839	<b>17.2</b>	1999
IMR 4227	Lake City	Federal 205	16.7	1823	<b>18.5 C</b>	1991
Accurate 5744	Lake City	Federal 205	17.5	1829	<b>18.7 C</b>	1967
Vihtavuori N110	Lake City	Federal 205	15.0	1830	<b>16.5 C</b>	1955
Vihtavuori N120	Lake City	Federal 205	18.1 C	1860	<b>19.0 C</b>	1947
Accurate No. 9	Lake City	Federal 205	13.0	1763	<b>14.0</b>	1845

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*