



speer
bullets

338 Federal

.338"	338
	Spitzer BTSP
Weight (grains)	225
Ballistic Coefficient	0.497
Sectional Density	0.281
COAL Tested	2.820"
Speer Part No.	2406

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Power Pro 2000-MR	Federal	Federal 210	45.4	2337	50.5 C	2551
Alliant Power Pro Varmint	Federal	Federal 210	42.5	2350	47.0 C	2545
Hodgdon CFE 223	Federal	Federal 210	44.1	2357	48.6 C	2544
Alliant AR-Comp	Federal	Federal 210	39.6	2305	43.9 C	2491
IMR 8208 XBR	Federal	Federal 210	39.8	2280	43.9 C	2462
Alliant Reloder 15	Federal	Federal 210	42.0	2350	44.0 C	2440
Hodgdon Varget	Federal	Federal 210	42.5	2326	44.5	2408
Winchester 748	Federal	Federal 210	42.5	2309	44.5	2392
Ramshot TAC	Federal	Federal 210	40.0	2277	42.0	2368
Accurate LT-32	Federal	Federal 210	35.8	2176	39.8 C	2361
IMR 3031	Federal	Federal 210	37.0	2204	39.0	2323
Alliant Reloder 10X	Federal	Federal 210	35.0	2207	37.0	2299
Hodgdon H322	Federal	Federal 210	35.5	2174	37.5	2276
Alliant Reloder 7	Federal	Federal 210	33.0	2161	35.0	2256
Accurate 2015	Federal	Federal 210	35.5	2139	37.5	2237

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load