



7mm Weatherby Magnum

.284"	7mm Spitzer SP Hot- Cor®	7mm Spitzer BTSP
Weight (grains)	130	130
Ballistic Coefficient	0.368	0.424
Sectional Density	0.230	0.230
COAL Tested	3.330"	3.330"
Speer Part No.	1623	1624

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 26	Federal	Federal 215	67.3	3063	74.3	3406
Ramshot Magnum	Federal	Federal 215	78.0	3219	82.0	3374
Alliant Reloder 22	Federal	Federal 215	70.0	3153	74.0	3345
Alliant Reloder 23	Federal	Federal 215	65.3	3064	72.3	3344
Vihtavuori N560	Federal	Federal 215	70.0	3153	74.0	3338
Accurate 3100	Federal	Federal 215	68.0	3133	72.0	3328
IMR 4831	Federal	Federal 215	66.0	3121	70.0	3321
Alliant Reloder 19	Federal	Federal 215	68.0	3087	72.0	3317
Hodgdon H1000	Federal	Federal 215	70.6	3051	78.2 C	3316
IMR 7977	Federal	Federal 215	71.0	3007	78.7 C	3314
Hodgdon Retumbo	Federal	Federal 215	72.0	2995	79.0 C	3289
IMR 4350	Federal	Federal 215	64.0	3066	68.0	3269
Hodgdon H4350	Federal	Federal 215	63.0	3100	67.0	3261
Hodgdon H4831SC	Federal	Federal 215	69.0	3063	73.0	3251
Alliant Reloder 15	Federal	Federal 215	56.0	3053	60.0	3185
Alliant Reloder 33	Federal	Federal 215	78.9	2974	82.0 C	3123

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load